

MODELS

# 8300/8500






### 8300/8500 Model Comparison


	MODEL 8300	MODEL 8500
Door construction	3-layer construction steel/ insulation/steel	3-layer construction, steel/insulation/ steel 2" thick steel panels
Polyurethane insulation*	Yes	Yes
Insulation R-value**	R-12.12	R-16.22 Highest of all models
Tongue-and-groove section joints to seal out weather	Yes	Yes
Warranty	Limited Lifetime	Limited Lifetime

<sup>\*</sup>Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene.


### **1** Choose Your Style




Colonial




Sonoma Ranch (Model 8300 only)



Ranch



Contemporary



Sonoma

### 2 Choose Your Color

### **Paint Finishes**



White Almond



Taupe Br





**Optional Wood-grain Finishes**Available on Models 8300 and 8500 Sonoma

Available on Models 8300 and 8500 Sonom and Model 8300 Sonoma Ranch only







Golden Oak

Walnut

Mission Oak



Available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

<sup>\*\*</sup>Wayne Dalton uses a calculated door section R-value for our insulated doors.

### **Choose Your Windows**

### For Colonial and Contemporary Panels



Clear I



Cathedral I



Stockbridge\*



Williamsburg I

### Décor™ windows



Majestic Brass

### For Ranch Panels



Clear II



Sherwood II\*\*



Williamsburg II\*\*

### Décor™ windows



Majestic Brass II

- \*Contemporary Panel only.
- \*\*Available on doors with an even number of panels.



Clear III\*



Stockton I



Prairie I



Sherwood I

**Reflections Brass** 

Cascade II

Stockbridge II



Cascade I



Stockton III\*



Waterton I



Cascade III\*



Arched Stockton\*





Waterton III\*





Majestic Leaded



Cathedral II



Stockton II



Reflections Leaded

Prairie II



Waterton II



Williamsburg II Single Arch




Reflections Brass II Majestic Leaded II



Reflections Leaded II





Arched Stockton

Waterton I

Waterton III

Choice of single or double arch is available for arched top double car windows.



Arched Stockton Single

Not all windows are available in all sizes or in all areas. Check with your Wayne Dalton dealer for details.



### **Glass Options**



Clear\*



**Gray Tinted** 



Green Tinted



**Bronze Tinted** 



Satin Etched Privacy\*



Obscure\*

\*Insulated glass available.

**Optional Window Placement** 


Vertical window option



Double row window option



All window option\*\*



Windows may be arranged vertically or horizontally on Colonial, Ranch and Contemporary designs. Windows placed in the bottom section of a door must use DSB 1/8", or tempered, or 1/2" insulated glass.

\*\*Available only on Model 8300 Contemporary panel with Clear I or Clear III windows. Order to be placed as Model 5150.

### 4 Choose Your Hardware



Aspen



Fleur-de-Lis



Spear

See website for complete line of decorative hardware.



## classic. stylish. efficient.

Made with two layers of steel and polyurethane foam insulation, Models 8300 and 8500 are extremely durable.

Not only that, they are offered in five designs with factory-finished colors or an optional bi-directional wood-grain finish that emulates the beauty of real wood.



### PERFORMANCE FEATURES



### Insulation

Models 8300 and 8500 come with foamed-in-place polyurethane insulation with an R-value\* of 12.12 for Model 8300 and R-value of 16.22 for Model 8500. Insulation can improve your home's thermal efficiency, reduce street noise, and make the door operate more quietly.

#### **Effective Joint Seals**

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.



#### **Heavy Gauge Steel End Caps**

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.

### **High Cycle Spring Option**

Choose a 25,000 cycle spring for almost twice the life of a standard torsion spring.

### **Silent Glide Rollers**

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.



Available with optional hardware and reinforcement for high-wind regions.



#### Warranty

Models 8300 and 8500 offer a Limited Lifetime Warranty on the steel skin. See full text of warranty

\*Wayne Dalton uses a calculated door section R-value for our insulated doors.





### **Garage Door Design Center**

To see this door on your home, visit **wayne-dalton.com**, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



**DISTRIBUTED BY:** 

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com











