








### **COMMON LAYOUTS**



## SPECIAL LAYOUTS

	No vertical stile. Maximum width of 9'2".	
Total	•	Ze
	One vertical stile	

	Layout with more openings than the common layouts. Always equal width openings.
Moro	

One vertical stile installed at a third of the width. Maximum

width of 10'.





# FULL VISION DOOR THICKNESS: 1¾" | ALUMINUM FRAME

#### IMPORTANT

The full vision door should not be used for its insulation properties.

#### TYPE OF GLASS %" thermopanes, 2 sides tempered.





also available. These allow no light to pass into the garage.

Opaque White, Grey and Black Glass are

Most of the types of glass offered by the manufacturer Robover<sup>2</sup> are available for the California. See your garage door dealer for more details.

#### FRAME COLORS



Ar Clear thermopane glass is also available with the LOW-E Argon energy option.

#### SIZES

Widths from 8' to 18', in 1" increments. Heights from 6'6" to 8', in 1" increments. See your garage door dealer for more details on oversized doors available.

#### **WARRANTY**

SuperGrey Tinted

Door sections: limited lifetime Dura+ hardware: 2 years Weatherstripping: 1 year Windows: 10 years against seal defects 1 year for thermal break



<sup>&</sup>lt;sup>2</sup> www.robover.com/en/products/glass/



8500 25<sup>th</sup> Avenue Saint-Georges QC G6A 1K5 CANADA

418 227-9458 info@garaga.com garaga.com













YOUR GARAGA DISTRIBUTOR

