

# Regal

STEEL THICKNESS: 2"

NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION



TRADITIONAL  
CONTEMPORARY  
CARRIAGE HOUSE

# TRADITIONAL

## Regal

STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

### MODEL PATTERNS AND LAYOUTS

**Shaker-Flat** (19" x 15" and 40" x 15")




9' x 7'



Shaker-Flat Short

16' x 7'



Shaker-Flat Short



Shaker-Flat Long



Shaker-Flat Long

**Classic** (20" x 14", 21" x 13", 42" x 14" and 40" x 13")



9' x 7'




Classic CC/Short

16' x 7'



Classic CC/Short



Classic XL/Long



Classic XL/Long



Classic Short, 9' x 7', Brown, windows with Cascade Short Inserts



Shaker-Flat Short, 9' x 8', White, windows with Stockton Short Inserts

< Cover: Shaker-Flat Long, 16' x 8', Dark Walnut, windows with Richmond Long Inserts

# CONTEMPORARY

## Regal


STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

### MODEL PATTERNS AND LAYOUTS

Flush




9' x 7'



Flush

16' x 7'



Flush


FOR A CONTEMPORARY LOOK,  
ADD A WINDOW LAYOUT



Shaker-Flat Long, 9' x 7', Black Ice, window layout: Left-side Harmony



Left-side Harmony



Outer Harmony



Right-side Harmony

Available for Flush, Shaker-Flat Long and Classic Short designs.



Flush, 10' x 8' and 16' x 8', White, window layout: Left-side Harmony

# CARRIAGE HOUSE

## Regal


STEEL THICKNESS: 2" NON-INSULATED WITH OPTIONAL POLYSTYRENE VINYL-BACKED INSULATION

### MODEL PATTERNS AND LAYOUTS

**Shaker-Flat** (41" x 13" group of 4 rectangles)




9' x 7'



Shaker-Flat Short

16' x 7'




Shaker-Flat Short

**Shaker-CS** (19" x 15", 40" x 15" and 40 1/2" x 15")



9' x 7'




Shaker-CS Short


16' x 7'



Shaker-CS Short




Shaker-CS LP/Long




Shaker-CS LP/Long

**North Hatley** (19 3/4" x 15" grouped by 2)



North Hatley SP



North Hatley SP

### DECORATIVE HARDWARE

Handmade wrought Iron texture



Lis



Door knockers

Slightly bumpy texture



Standard



Cottage





Shaker-Flat XSmall, 9' x 7', Terrastone, windows with Richmond Arch Long Inserts




Shaker-CS Short, 9' x 7', White, windows with Double Stockton Arch Long Inserts

## COLORS

### Standard




### Premium



## CONSTRUCTION

Single-layer: steel OR Double-layer: steel + insulation

- 1** 3 options of outside layer: steel, heavy duty steel or commercial grade steel for high durability
- 2** 2" tongue and groove meeting rail to provide a weather-tight seal between sections, and rails are hemmed the entire length of the section for added strength and safety
- 3** 20-gauge galvanized end and center stiles to increase strength and durability
- 4** Polystyrene vinyl-backed insulation available as an option




Wind load reinforcement available as an option.

24/N24/N25 interior view


## WINDOWS (20" x 13", 21" x 13", 40" x 13" or 41" x 16")

### Types of Glass

Privacy Level: X/5



### Decorative inserts<sup>1</sup>



<sup>1</sup> To know what size decorative inserts are available for each door design, visit [garaga.com/designcentre](http://garaga.com/designcentre).

## SIZES

Standard widths, in 1" increments: 24 and N24 from 8' to 20'; N24C and N25 from 8' to 18'.

## WARRANTY

Door: Door sections: 15 years (limited)  
Bolted Hardware: 1 year

Weatherstripping: 1 year



Classic Long, 16' x 7', Almond




Shaker-CS Long, 9' x 8', Dark Walnut, windows with Stockton Long Inserts

## CONSTRUCTION SUMMARY

	REGAL 24	REGAL N24	REGAL N25	REGAL N24C
<b>OUTSIDE LAYER</b>	<b>COMMERCIAL GRADE STEEL</b>	<b>HEAVY DUTY STEEL</b>	<b>STEEL</b>	<b>HEAVY DUTY STEEL</b>
<b>LAYOUTS</b>				
Shaker-Flat Short		•		
Shaker-Flat Long		•		
Classic CC/Short	•	•	•	•
Classic XL/ Long		•	•	•
Flush	•	•		
Shaker-Flat Short		•	•	
Shaker-CS Short		•	•	
Shaker-CS LP/ Long		•	•	•
North Hatley SP				•
<b>COLORS</b>				
Ice White/ White	•	•	•	•
Claystone/ Sandstone		•	•	•
Sahara		•	•	•
Desert Sand/ Almond		•	•	•
Moka Brown/ Brown		•		•
Terrastone		•		
Black Ice		•		
Cherry		•		
Dark Walnut		•		
<b>WIND LOAD</b>	Optional	Optional	N/A	N/A

## LiftMaster

Quiet and reliable  
garage door openers



LiftMaster

### ELITE SERIES®



- Ultra quiet
- Belt or chain drive
- ¾ HP, AC or DC power



- Ultra quiet
- Jackshaft
- DC power

### PREMIUM SERIES®



- Quiet
- Belt or chain drive
- ½ HP, AC or DC power


### CONTRACTOR SERIES®



- Quiet
- Belt or chain drive
- ½ HP, AC or DC power

## Build your garage door

Visualize your home with a new garage door.  
Visit [garaga.com/designcentre](http://garaga.com/designcentre) or scan the QR code.



Build your door



The Village Collection, for a  
stunning look!

Village Collection X Layout, Flat base, 9' x 7', White, windows with Stockton Long Inserts



418 227-9458  
info@garaga.com  
garaga.com

Head Office – Canada: 1 866 960-2828, St-Georges QC  
Head Office – États-Unis: 1 800 364-3667, Ponca City OK



YOUR  
DISTRIBUTOR

For all technical specifications for the Regal and the latest updates, visit [www.garaga.com](http://www.garaga.com). Garaga has established continuous improvement programs for all its products. As a result of this ongoing quest, technical specifications for various doors are subject to change without notice. The door colors and the windows shown are as exact as printing techniques will allow. Please request an actual color sample. Trademarks and registered trademarks of Garaga Inc. are denoted by TM, ® and © respectively. © Garaga Inc. 2019 – All rights reserved  
– Printed in Canada – 95MID001/10/2019/7k

logo FSC